




CERTIFICATE OF EXPRESS MAILING

I hereby certify that on **November 10, 2004**, I placed the following documents in connection with a **patent application** no. **10,612,315** for a **HEATING ELEMENT ACCESSORY HAVING WARNING DEVICE**: (i) Copy of Notice of Abandonment (ii) 4 pages of formal drawings (iii) Drawing Substitution Request (iv) check for \$685 for Petition (v) Petition to Revive and (vi) acknowledgment postcard

in an Express Mail Post Office to Addressee envelope addressed to:


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

and deposited it with the United States Postal Service Express Mail Post Office to Addressee service and obtained the following tracing number: **ED238162343US** I also paid the required postage for same.



Steven Horowitz
Registration No. 31,768
295 Madison Avenue, Suite 700,
New York, New York 10017
212-867-6800

Dated: November 10, 2004



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

LERNER, William S.

Application 10/612,315

November 10, 2004

Filing Date: July 2, 2003

Title: HEATING ELEMENT ACCESSORY
HAVING WARNING DEVICE

SUBSTITUTION OF DRAWINGS

Commissioner for Patents
Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to a Notice to File Corrected Application Papers dated September 29, 2003, in connection with the above identified application, please substitute the following four pages of formal ink drawing for FIGS. 2, 6-8.9.10. 11A, 11B accompanying this request for the originally filed four pages of informal drawings for those figures.

Should there be any questions or identify any problems, feel free to call me at (212) 867-6800 so that any such problems can be cleared up promptly.

A Petition to Revive accompanies this request.

Dated: November 10, 2004

Respectfully submitted,

Steven Horowitz, Attorney for Applicant
Registration No. 31,768
(212) 867-6800
295 Madison Avenue, Suite 700
New York, NY 10017